




CATALOGUE

WOODEN FLOORS

2025



Be BALTIC = Be ECO

THREE-LAYERED WOODEN FLOORS:

- ♥ perfect for playing, relaxing and cuddling together
- ♥ create a cosy interior with a palpable touch of comfort and safety
- ♥ antiallergic
- ♥ safe for health



With passion
for wood



Our collections were created out of a true passion for wood. We emphasize its undiscovered, natural beauty in the processes of hand distressing, brushing, bevelling, varnishing and oiling.

Baltic Wood

Baltic Wood combines fascination for the beauty of wood and knowledge about its specialist treatment. Thanks to this, Baltic Wood floors are not only beautiful, but also perfect in terms of quality – durable, functional and easy to maintain on a regular basis.



KNOWLEDGE AND EXPERIENCE

The company was founded 25 years ago in Poland and quickly expanded its brand into the international marketplace. Today, thanks to an extensive partner network, Baltic Wood floors reach clients in 62 countries all over the world. The modern production plant, the company head office and the sales offices are located in the town of Jasło, the Subcarpathian Province.

SUPREME QUALITY

Creating floors of the highest quality is our main goal and priority in the strategy of the company development. All the processes – designing, planning, manufacturing and delivering the goods – are based on a single, coherent Integrated Quality and Environmental Management System.

OUR MISSION

We believe that the floor made of the highest quality wood is that which lends a Unique character to every interior – both the Classical and the modern one. That is why we continually follow the latest trends in design so as to cater to the tastes of both traditionalists and those who value more avant-garde design.



WE CARE FOR THE NATURAL ENVIRONMENT

We love nature and therefore we take so much care to make the manufacturing of Baltic Wood floors meet the most rigorous conservation standards. The supreme quality and care for the environment certified by: FSC, M1, TÜV.

Wooden floors

Nature offers beauty, harmony, elegance and style which cannot be replaced with any substitute.



Baltic Wood wooden floors owe their Uniqueness primarily to nature inspiring displayed in flooring compositions that lend interiors a fascinating character.

CARE FOR NATURE

With the support of innovative technology compliant with the highest quality standards, Baltic Wood wooden floors are sustainable and eco-friendly.



Three-layered floors

precision of workmanship +
reliable use

WOODEN FLOOR

Thanks to the natural properties of the material and its characteristic and original look, wooden flooring makes it possible to create a cosy, distinguished interior with a touch of comfort and safety. Wood is warm and pleasant to the touch, and so it makes you want to walk barefoot around every nook and cranny of the house. Besides, it has very practical qualities – it muffles noises and sounds of footsteps. The natural material also ensures a long lifetime – time is on its side, making it look more and more noble, and thanks to its (multiple) renovatability, we can enjoy its unchanging beauty for many years.




THE STRUCTURE OF THREE-LAYERED FLOOR

Baltic Wood floor comprises three layers. The top layer made of noble wood (2.7-6.6 mm thick) is covered with seven coats of lacquer or two coats of oil. Both the finishes make up, on the floor surface, a thin, flexible and durable protective coating. The middle layer (approx. 8.9 mm thick) includes transverse spruce slats that reinforce the floor flexibility. The bottom layer (approx. 1.6 mm thick) is made of uniform spruce veneer, which stabilises and stiffens the whole structure.



Grades of oak wood



- OAK ELEGANCE**
Special, smooth selection, subdued wood colour, none to small knots, no sapwood.
- OAK CLASSIC**
Natural wood colour and pattern contrasts, none to medium-sized knots, no sapwood.
- OAK VILLA**
Mix of Elegance and Classic, colour variation, medium-sized knots.
- OAK RUSTIC**
Distinctly rustic character, vivid contrasts of wood colour and pattern, large knots, no sapwood.
- OAK UNIQUE**
Vivid contrasts of wood colour and pattern, none to medium knots, sapwood from 1% up to 20% of the board width.
- OAK COTTAGE**
Mix of Unique, Rustic and Superrustic. Distinctly rustic character, vivid contrasts of wood colour and pattern, large knots, acceptable external sapwood from 0% up to 20% of the board width.
- OAK SUPERRUSTIC**
Distinctly rustic character, vivid contrasts of wood colour and pattern, large knots, acceptable external sapwood from 1% up to 20% of the board width.
- OAK NORDIC**
Soft rustic character, vivid contrasts of wood colour and pattern, none to large knots, sapwood from 20% up to 40% of the board width.
- OAK EARTHQUAKE**
Distinctly rustic character, vivid contrasts of wood colour and pattern, external sapwood from none up to 15% of the board width, acceptable splits.

Sustainable solutions

For years now, Baltic Wood has been pursuing its own eco-friendly policy with ambitious conservation goals, which help protect the environment and live in harmony with nature. The company's environmental awareness comes to be reflected in all the areas of its activity.





ARTISTIC FLOORS DISTRESSED BY HUMAN HAND

Artistically distressed three-layered oak floors in the pattern of 1-row board are manufactured in the process of saturating the wood surface with the noblest oils and pigments, carefully rubbed in by human hand after the boards have been artistically distressed in the process of planing, brushing, notching or applying the woodworm effect. Owing to the Unique technology of reactive stain and oil application, the colour of the artistically distressed floor matures over time, thanks to which it becomes even more beautiful and nobler.

The board edges are highlighted with hand-crafted bevel on each side, which crowns the unusual visual effect. The adhesive-free 2LOC joint makes for quick and clean assembly.



Premium SIZE
2200x210x14 mm
2200x182x14 mm

SLIM SIZE
2200x148x14 mm

mini SIZE
1080x148x14 mm
ONLY IN THE HERRINGBONE PATTERN

Main features of the collection



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



HAND-DISTRESSED BEVEL ON LONG & SHORT SIDE OF THE BOARD

The board edges are highlighted with hand-crafted 4V bevel on each side, which crowns the unusual visual effect.



2LOC ADHESIVE-FREE AND T&G ASSEMBLY SYSTEM

Adhesive-free joint, which enables a quick and clean installation. The floor is ready to be used right on installation.

* only in the herringbone pattern



INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.



Hand distressed floor



NOBLE FINISH

The Timeless Collection floors have been refined with quality, hand-rubbed oils which penetrate through the surface, thereby enhancing the everlasting and true character of wood.


UNFINISHED STORY 1R



DELICATE
DARKENING



BECOMES
LIGHTER



MEDIEVAL CASTLE 1R



MOZART NOTES 1R



DELICATE
DARKENING



BECOMES
LIGHTER

MEDIEVAL CASTLE 1R HERRINGBONE

SECRET CHAMBER 1R



HOUSE OF SOULS 1R



LOST COFFER 1R



STARDUST 1R



OLD LEGEND 1R



DELICATE DARKENING



MEDIEVAL CASTLE 1R



MOZART NOTES 1R



Painters
Collection

SALVADOR Oak Unique 1R Dove & Dove supermatt lacq. brushed 4mV



SUPERMATT FINISH – LOOKS LIKE OIL, EASY TO CLEAN LIKE VARNISH

A collection of oak wooden floors in the pattern of 1-row full plank. The floor surfaces in fashionable colours have been refined and secured with elegant, supermatt varnish, which looks like oil, but it's ease to clean like varnish.

Each floor has micro-bevel on 2 or 4 sides of the board, which emphasizes its' modern character.



**Premium
SIZE**
2200x182x14 mm

Main features of the collection



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT AS WELL AS SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.



5G ADHESIVE-FREE ASSEMBLY SYSTEM

One of the most modern adhesive-free joints available on the market, which enables a speedy and clean installation. The floor is ready to be used right on installation.



INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.



The power of creation




SUPERMATT LACQUER

It gives the surface a supermatt finish which resembles an oiled surface, but is easy to clean and maintain just like lacquer.

PABLO

Oak Unique 1R Coconut & Coconut supermatt lacq. brushed 4mV



SALVADOR

Oak Unique 1R Dove & Dove supermatt lacq. brushed 4mV



FRIDA

Oak Rustic 1R Smoked & Smoked supermatt lacq. brushed 2mV




VINCENT

Oak Unique 1R Coffee & Coffee supermatt lacq. brushed 4mV





CLAUDE
Oak Superrustic 1R supermatt lacq. brushed 4mV



LEONADRO
Oak Unique 1R aspect of raw wood supermatt lacq.4mV



PABLO Oak Unique 1R Coconut & Coconut supermatt lacq. brushed 4mV



HotChoc Collection

Oak Superrustic 1R Dark Choc & Dark Choc matt lacq. brushed 4mV



RUSTIC FLOORS IN FASHIONABLE COLOURS

A collection of floors in the 1-strip pattern is delightful in its Classic beauty enhanced with brushed lacquer. Bevelling on four or two sides lends a Unique character to the boards.

The collection comprises floors in six shades inspired by the latest colour trends in 2023. The floors perfectly complement every interior style, and their original character and colour will cater to the most discriminating tastes. It is possible to install the floors over a floor heating system.




Main features of the collection



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT OR SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.




5G ADHESIVE-FREE ASSEMBLY SYSTEM

One of the most modern adhesive-free joints available on the market, which enables a speedy and clean installation. The floor is ready to be used right on installation.



INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.



Delicious shades
of chocolate



RUSTIC CHARACTER

Beautiful rustic character of the floor, strong colour contrasts, knots and expressive wood pattern.

OAK SUPERRUSTIC 1R
Nougat & Nougat matt lacq. brushed 4mV



OAK SUPERRUSTIC 1R
Dark Choc & Dark Choc matt lacq. brushed 4mV



OAK SUPERRUSTIC 1R
Almond & Almond matt lacq. brushed 4mV



OAK NORDIC 1R
Crispy & Crispy matt lacq. brushed 4mV



OAK SUPERRUSTIC 1R
Dark & Truffle matt lacq. brushed 2mV



DELICATE
DARKENING



OAK SUPERRUSTIC 1R
White Choc & White Choc matt lacq. brushed 4mV



DELICATE
DARKENING



OAK NORDIC 1R Crispy & Crispy matt lacq. brushed 4mV



Stones Collection

BASALT Oak Rustic 1R Brown & Taupe matt lacq. brushed 4mV



FLOORS INSPIRED BY THE SPIRIT OF NATURE

A collection of 1-strip oak floors inspired by the spirit of nature. Discover the colours of the most beautiful stones – from light grey to dark graphite, beige and deep brown.

The palette of the most fashionable colours has been achieved in the process of coating the brushed surface of the wood with coloured stains, ECO oil and varnish. Bevelling on four sides lends a Unique character to the boards. Thanks to the cutting-edge adhesive-free floor assembly systems 5G lock, installing 1 m² of flooring will take you less than 1 minute. It is possible to install the floors over a floor heating system.

With the benefit of the Unique technology of reactive stain and oil application, the floor matures over time, thanks to which it becomes even more beautiful and nobler. Colour change is a natural process, and the intensity and timing of the change depend primarily on exposure to sunlight. The biggest changes can last for as long as 6 months from the time the floor is installed.



**Premium
SIZE**
2200x182x14 mm

Main features of the collection



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT AS WELL AS SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.




5G ADHESIVE-FREE ASSEMBLY SYSTEM

One of the most modern adhesive-free joints available on the market, which enables a speedy and clean installation. The floor is ready to be used right on installation.




INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.



The most beautiful colours of nature



UNIQUE TECHNOLOGY

Thanks to the unique technology of applying reaction stains and oil, the floor matures over time, making it even more beautiful and noble. Colour change is a natural process, and the intensity and duration of the change depend primarily on exposure to sunlight. The process of major changes may take up to approx. 6 months from the time of floor installation.

LIMESTONE
Oak Rustic 1R White & Beige matt lacq. brushed 4mV



BASALT
Oak Rustic 1R Brown & Taupe matt lacq. brushed 4mV



MARBLE
Oak Rustic 1R White & Taupe matt lacq. brushed 4mV



QUARTZ
Oak Rustic 1R cool grey ECO oil brushed 4mV





DOLOMITE
Oak Rustic 1R nut brown ECO oil brushed 4mV




SANDSTONE
Oak Rustic 1R sand beige ECO oil brushed 4mV





NoLimits™
Collection

LIBERTY Oak Cottage 1R Nougat & Nougat matt lacq. brushed 4mV



ULTRA-DURABLE THREE-LAYERED WOODEN FLOORS

The ultra-thick layer of noble wood in NoLimits collection makes the surface renovatable up to 9 times. It is a Unique structure that perfectly combines the longevity of solid board with the stability of the engineered board structure.

The wide array of fashionable colours has been achieved in the process of coating the brushed surface of the wood with coloured stains, oil and varnish. Each of the 4 board sides features elegant microbevel. The floors are fitted with a tongue-and-groove joint and suited for adhesive-based installation only as well as for floor heating.



mini
SIZE
1090x148x14.6 mm

mini
SIZE
1080x148x14.6 mm
ONLY IN THE HERRINGBONE
PATTERN

Main features of the collection



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT AS WELL AS SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.




TRADITIONAL TONGUE AND GROOVE GLUE JOINT

The floors from NoLimits Collection have traditional tongue and groove glue joint. The boards should be fixed by gluing directly to the subfloor.



INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.



Floor for generations



SUPER-DURABLE FLOOR

The extra-thick layer of noble wood allows for the surface to be renovated up to 9 times.



LIBERTY
Oak Cottage 1R Nougat & Nougat matt lacq. brushed 4mV



DISCOVERY
Oak Villa 1R porcelain ECO oil brushed 4mV



REFLECTION
Oak Cottage 1R transparent ECO oil brushed 4mV



INSPIRATION
Oak Villa 1R matt lacq. brushed 4mV





HAPPINESS
Oak Cottage 1R Cream & Cream matt lacq. brushed 4mV



ADRENALINE
Oak Cottage 1R porcelain ECO oil brushed 4mV




PASSION
Oak Cottage 1R grey ECO oil brushed 4mV



SENSE
Oak Villa 1R transparent ECO oil brushed 4mV

CHARM

Oak Cottage 1R matt lacq. brushed 4mV



SENSE HERRINGBONE

Oak Villa 1R transparent ECO oil brushed 4mV



LIBERTY HERRINGBONE

Oak Cottage 1R Nougat & Nougat matt lacq. brushed 4mV



DISCOVERY HERRINGBONE
Oak Villa 1R porcelain ECO oil brushed 4mV

ADRENALINE HERRINGBONE

Oak Cottage 1R porcelain ECO oil brushed 4mV



CHARM

Oak Cottage 1R matt lacq. brushed 4mV




REFLECTION HERRINGBONE

Oak Cottage 1R transparent ECO oil brushed 4mV




ADRENALINE

Oak Cottage 1R porcelain ECO oil brushed 4mV



Melody™
Collection

BIRTH Oak Superrustic 1R porcelain ECO oil brushed 4mV



FLOORS – EXTRAORDINARY COMBINATION OF THE MODERN AND THE CLASSIC

A collection of floors in the 1-row board pattern is delightful in its Classic beauty enhanced with varnish, oil and an elaborate colour scheme achieved thanks to carefully selected stains and oils.

The offer includes floors with smooth and brushed surfaces featuring SQUARE EDGE, which ensures a perfect surface, as well as ones in which each element is enhanced with microbevel on long and short (4mV) edges. Another asset of the collection is the adhesive-free 5G lock – a joint of the latest generation. It enables a record quick and clean assembly. Each floor in this collection is suitable for installation over underfloor heating.



**Premium
SIZE**
2200x210x14 mm
2200x182x14 mm

Main features of the collection



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT AS WELL AS SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.



5G ADHESIVE-FREE ASSEMBLY SYSTEM

One of the most modern adhesive-free joints available on the market, which enables a speedy and clean installation. The floor is ready to be used right on installation.



INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.



SQUARE EDGE

System of perfect floor element matching with guarantee of the effect of perfectly uniform surfaces, with almost imperceptible joints between individual boards.

MADLINE
Oak Classic 1R Coconut & Coconut supermatt lacq. brushed 4mV



OAK ELEGANCE 1R
matt lacq. brushed 4mV



GRACE
Oak Rustic 1R Dove & Dove supermatt lacq. brushed 4mV



OAK CLASSIC 1R
transparent ECO oil brushed 4mV

OAK UNIQUE 1R
matt lacq. brushed



FORTUNE
Oak Classic 1R matt lacq. brushed 4mV



OAK RUSTIC 1R
transparent ECO oil brushed



HOPE
Oak Classic 1R aspect of raw wood ECO oil brushed 4mV



BIRTH
Oak Superrustic 1R porcelain ECO oil brushed 4mV



SCIENCE
Oak Superrustic 1R matt lacq. brushed 4mV



WISDOM
Oak Superrustic 1R white & grey ECO oil brushed 4mV



EVOLUTION
Oak Earthquake 1R transparent ECO oil brushed 4mV





FOUR_4HIM Oak Villa 1R matt lacq. brushed



DEMOCRATIC FLOORS FOR HER AND FOR HIM

A collection of 7 fashionable and blockbusting floors with identical finish, in the 1-row board pattern – for HIM, and in the 3-row slat pattern – for HER. Owing to this it is possible to combine both the designs in various rooms, preserving the colour scheme effect.

The adhesive-free 2LOC joint makes for quick and clean assembly. They are well suited for installation over underfloor heating systems.



ADHESIVE-FREE
ASSEMBLY
SYSTEM



UNDERFLOOR
HEATING:
YES



HARDWOOD



SQUARE
EDGE

**Premium
SIZE**
2190x182x13.3 mm
[3R]

**SLIM
SIZE**
2200x148x13.3 mm
[1R]

Main features of the collection



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



SQUARE EDGE

System of perfect floor element matching with guarantee of the effect of perfectly uniform surfaces, with almost imperceptible joints between individual boards.




ADHESIVE-FREE ASSEMBLY SYSTEM 2LOC

Adhesive-free joint, which enables a quick and clean installation. The floor is ready to be used right on installation.



INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.



1-row full plank and 3-row slat



PERFECT MATCH

Thanks to identical finish it is possible to combine both designs in various rooms in an apartment or a house, without the need to give up on the visual effect, and the costs of the floor going down.

ONE_4HIM
Oak Cottage 1R Frosty & Frosty matt lacq. brushed



TWO_4HIM
Oak Cottage 1R Ivory & Cream matt lacq. brushed



ONE_4HER
Oak Cottage 1R Frosty & Frosty matt lacq. brushed



TWO_4HER
Oak Cottage 3R Ivory & Cream matt lacq. brushed

THREE_4HIM

Oak Cottage 1R Cashmere & Cashmere matt lacq. brushed



FOUR_4HIM
Oak Cottage 1R matt lacq. brushed



Available also
in VILLA grading



Available also
in CLASSIC grading



THREE_4HER

Oak Cottage 3R Cashmere & Cashmere matt lacq. brushed



FOUR_4HER
Oak Cottage 3R matt lacq. brushed

FIVE_4HIM
Oak Cottage 1R Amber & Amber matt lacq. brushed



SIX_4HIM

Oak Cottage 1R Smoky & Smoky matt lacq. brushed



SIX_4HER

Oak Cottage 3R Smoky & Smoky matt lacq. brushed



FIVE_4HER
Oak Cottage 3R Amber & Amber matt lacq. brushed

SEVEN_4HIM
Oak Cottage 1R Taupe & Taupe matt lacq. brushed



SEVEN_4HER
Oak Cottage 3R Taupe & Taupe matt lacq. brushed







Smart
Collection

Oak Cottage 1R matt lacq. brushed 2mV



HIGHLY AFFORDABLE FLOORS PERFECT FOR SMALL INTERIORS

- Quick and easy installation
- Intended for small interiors
- Resistance to humidity and temperature fluctuations
- Well suited for installation over underfloor heating systems
- Highly affordable floors



**Premium
SIZE**
2190x182x13.3 mm

**MIDI
SIZE**
1080x182x14 mm


**mini
SIZE**
1080x148x14 mm

Main features of the collection



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT OR SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.




ADHESIVE-FREE ASSEMBLY SYSTEM 2LOC AND 5G

Adhesive-free joint 2LOC and one of the most modern adhesive-free joints available on the market, which enables a speedy and clean installation. The floor is ready to be used right on installation.



INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.



Perfect for small and narrow rooms



SQUARE EDGE

System of perfect floor element matching with guarantee of the effect of perfectly uniform surfaces, with almost imperceptible joints between individual boards.

OAK VILLA 1R
matt lacq. brushed 2mV



OAK EARTHQUAKE 1R
ECO oil brushed 4mV



OAK COTTAGE 3R
semi-matt lacq.





OAK EARTHQUAKE 1R
porcelain ECO oil brushed 4mV



ASH CLASSIC 3R CREAM
matt lacq



OAK VILLA 1R matt lacq. brushed 2mV

Wooden floor maintenance



VACUUM CLEAN THE FLOOR

Regularly (at least twice a week) clean your floors with a vacuum cleaner and a special brush attachment or with a soft sweeper. Floor mopping must be preceded by vacuum-cleaning.



USE APPROPRIATE CLEANING AGENTS

Clean wooden floors with a moist, but not wet mop. The excessive amount of water can cause swelling, warping or discolouration of the floor. Accidentally spilt liquids must be immediately wiped up, otherwise the stains will become hardly removable. Use only Baltic Protection System agents. Do not apply waxes, as they can easily matt the wooden surface.



PROTECT THE FLOOR AGAINST SCRATCHING

Chair or furniture legs can scratch the floor surface. Use protective caps – chair and furniture legs should be covered with protective felt pads, and in the case of swivel chairs choose ones with special castors intended for wooden surfaces. Do not use impermeable rubber mats and carpets.

TAKE PROPER CARE OF YOUR PET'S CLAWS

Regularly cut the claws of your pets, which will protect your floor from scratches. Remember to wipe clean the paws of your dog every time you come back from a walk – this way you will keep dirt and sand away from your interiors.



PROTECT THE FLOOR AGAINST DIRT

Doormats – a mixture of water and sand, coupled with intense wear of the floor brings about the same effect as rubbing the floor with sandpaper. Doormats placed at the front door and the exit to the terrace protect the floor against dirt. Keep doormats clean – replace them from time to time.



REMEMBER ABOUT AIR HUMIDITY

Keep an optimal air humidity level in the rooms, i.e. around 30-60% and temperature of 20°C; in winter, when the air humidity level drops, use air humidifiers. Remember that wood will naturally tend to achieve the state of hygroscopic balance – it is important to air the rooms from time to time.



Product index

Timeless™ Collection

FLOOR	SIZE	INDEX	PAGE
UNFINISHED STORY 1R 2LOC	2200x210x14 mm	WEF1AI1SAR289T-1	16
UNFINISHED STORY 1R 2LOC	2200x182x14 mm	WEF1AI11AR289T-1	16
UNFINISHED STORY 1R 2LOC	2200x148x14 mm	WEF1AI12AR289T-1	16
MOZART NOTES 1R 2LOC	2200x182x14 mm	WEF1AG11AR469T-1	16
MEDIEVAL CASTLE 1R 2LOC	2200x210x14 mm	WEF1AG1SAR179T-1	17
MEDIEVAL CASTLE 1R 2LOC	2200x182x14 mm	WEF1AG11AR17-T-1	17
MEDIEVAL CASTLE 1R 2LOC	2200x148x14 mm	WEF1AG12AR17-T-1	17
MEDIEVAL CASTLE 1R T&G herringbone	1080x148x14 mm	WW/WCF1AG22AR17-AD1	17
SECRET CHAMBER 1R 2LOC	2200x182x14 mm	WEF1AG11AR19-T-1	18
LOST COFFER 1R 2LOC	2200x182x14 mm	WEF1AG11AR269T-1	18
HOUSE OF SOULS 1R 2LOC	2200x182x14 mm	WEF1AG11AR249T-1	19
STARDUST 1R 2LOC	2200x182x14 mm	WEF1AG11AR279T-1	19
OLD LEGEND 1R 2LOC	2200x182x14 mm	WEF1AG11AR439T-1	20

Painters Collection

FLOOR	SIZE	INDEX	PAGE
PABLO Oak Elegance 1R Coconut & Coconut supermatt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A211-S169EB1	26
PABLO Oak Unique 1R Coconut & Coconut supermatt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A511ES169EB1	26
VINCENT Oak Unique 1R Coffee & Coffee supermatt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A511ES719EB1	26
VINCENT Oak Superrustic 1R Coffee & Coffee supermatt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A011ES719EB1	26
SALVADOR Oak Unique 1R Dove & Dove supermatt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A511ES739EB1	27
FRIDA Oak Rustic 1R Smoked & Smoked supermatt lacq. brushed 2mV 5G	2200x182x14 mm	WZ-1A611-S749EB1	27
CLAUDE Oak Classic 1R supermatt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A411-S759EB1	28
CLAUDE Oak Superrustic 1R supermatt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A011-S759EB1	28
LEONARDO Oak Unique 1R aspect of raw wood supermatt lacq. 4mV 5G	2200x182x14 mm	WZ-1A511EB449EB1	28
LEONARDO Oak Rustic 1R aspect of raw wood supermatt lacq. 4mV 5G	2200x182x14 mm	WZ-1A611EB449EB1	28

HotChoc Collection

FLOOR	SIZE	INDEX	PAGE
OAK SUPERRUSTIC 1R Nougat & Nougat matt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A011-S809CL1	34
OAK SUPERRUSTIC 1R Almond & Almond matt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A011-S839CL1	34
OAK SUPERRUSTIC 1R Dark Choc & Dark Choc matt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A011-S849CL1	35
OAK NORDIC 1R Crispy & Crispy matt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1AU11-S859CL1	35
OAK SUPERRUSTIC 1R Dark & Truffle matt lacq. brushed 2mV 5G	2200x182x14 mm	WT-1A011-S869CL1	36
OAK SUPERRUSTIC 1R White Choc & White Choc matt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A011-S879CL1	37

Stones Collection

FLOOR	SIZE	INDEX	PAGE
LIMESTONE Oak Rustic 1R White & Beige matt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A611-S889SI1	42
MARBLE Oak Rustic 1R White & Taupe matt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A611-S899SI1	42
BASALT Oak Rustic 1R Brown & Taupe matt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A611-S909SI1	43
QUARTZ Oak Rustic 1R cool grey ECO oil brushed 4mV 5G	2200x182x14 mm	WZ-1A611-S919SI1	43
DOLOMITE Oak Rustic 1R nut brown ECO oil brushed 4mV 5G	2200x182x14 mm	WZ-1A611-S929SI1	44
SANDSTONE Oak Rustic 1R sand beige ECO oil brushed 4mV	2200x182x14 mm	WZ-1A611-S939SI1	45

NoLimits™ Collection

FLOOR	SIZE	INDEX	PAGE
LIBERTY Oak Cottage 1R Nougat & Nougat matt lacq. brushed 4mV T&G	1090x148x14.6 mm	WC-1ALB2-S80-BC1	50
REFLECTION Oak Cottage 1R transparent ECO oil brushed 4mV T&G	1090x148x14.6 mm	WC-1ALB2-SO1-BC1	50
DISCOVERY Oak Villa 1R porcelain ECO oil brushed 4mV T&G	1090x148x14.6 mm	WC-1AKB2-S34-BC1	51
INSPIRATION Oak Villa 1R matt lacq. brushed 4mV T&G	1090x148x14.6 mm	WC-1AKB2-SL3-BC1	51
HAPPINESS Oak Cottage 1R Cream & Cream matt lacq. brushed 4mV T&G	1090x148x14.6 mm	WC-1ALB2-SB3-BC1	52
PASSION Oak Cottage 1R grey ECO oil brushed 4mV T&G	1090x148x14.6 mm	WC-1ALB2-SK7-BC1	52

ADRENALINE Oak Cottage 1R porcelain ECO oil brushed 4mV T&G	1090x148x14.6 mm	WC-1ALB2-S34-BC1	53
SENSE OAK VILLA 1R transparent ECO oil brushed 4mV T&G	1090x148x14.6 mm	WC-1AKB2-SO1-BC1	53
CHARM Oak Cottage 1R matt lacq. brushed 4mV T&G	1090x148x14.6 mm	WC-1ALB2-SL3-BC1	54
LIBERTY Oak Cottage 1R Nougat & Nougat matt lacq. brushed 4mV T&G herringbone	1080x148x14.6 mm	WW/WC-1ALA2-S80-AB1	54
SENSE Oak Villa 1R transparent ECO oil brushed T4mV T&G herringbone	1080x148x14.6 mm	WW/WC-1AKA2-SO1-AB1	55
DISCOVERY Oak Villa 1R porcelain ECO oil brushed 4mV T&G herringbone	1080x148x14.6 mm	WW/WC-1AKA2-S34-AB1	55
ADRENALINE Oak Cottage 1R porcelain ECO oil brushed 4mV T&G herringbone	1080x148x14.6 mm	WW/WC-1ALA2-S34-AB1	56
REFLECTION Oak Cottage 1R transparent ECO oil brushed 4mV T&G herringbone	1080x148x14.6 mm	WW/WC-1ALA2-SO1-AB1	56
CHARM Oak Cottage 1R matt lacq. brushed 4mV T&G herringbone	1080x148x14.6 mm	WW/WC-1ALA2-SL3-AB1	57

Melody[™]
Collection

FLOOR	SIZE	INDEX	PAGE
MADELINE Oak Classic 1R Coconut & Coconut supermatt lacq. brushed 4mV 5G	2200x210x14 mm	WZ-1A41SES169CS1	62
GRACE Oak Rustic 1R Dove & Dove supermatt lacq. brushed 4mV 5G	2200x210x14 mm	WZ-1A61SES739CS1	62
OAK ELEGANCE 1R transparent ECO oil brushed 4mV 5G	2200x182x14 mm	WZ-1A211-SL39CL1	63
OAK CLASSIC 1R transparent ECO oil brushed 4mV 5G	2200x182x14 mm	WZ-1A411-SO1-CL1	63
OAK UNIQUE 1R matt lacq. brushed 5G	2200x182x14 mm	WR-1A511-SL3-CL1	64
OAK RUSTIC 1R transparent ECO oil brushed 5G	2200x182x14 mm	WR-1A611-SO1-CL1	64
FORTUNE Oak Classic 1R matt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A411-SL39CS1	65
HOPE Oak Classic 1R aspect of raw wood ECO oil brushed 4mV 5G	2200x182x14 mm	WZ-1A411-S199CS1	65
BIRTH Oak Superrustic 1R porcelain ECO oil brushed 4mV 5G	2200x182x14 mm	WZ-1A011-S349CS1	66
WISDOM Oak Superrustic 1R white & grey ECO oil brushed 4mV 5G	2200x182x14 mm	WZ-1A011-S379CS1	66
SCIENCE Oak Superrustic 1R matt lacq. brushed 4mV 5G	2200x182x14 mm	WZ-1A011-SL39CS1	67
EVOLUTION Oak Earthquake 1R transparent ECO oil brushed 4mV 5G	2200x182x14 mm	WZ-1AI11BSO1-CS1	67

Baltic Wood S.A. reserves the right to change the technical parameters of the products on offer as well as to discontinue them.

Baltic Wood floors are manufactured only from natural wood, and that is why the shade, occurrence of knots, ring pattern and grain structures of particular elements – boards, slats etc. – can differ from one another as well as in relation to the photos included in all Baltic Wood marketing materials. The natural variation can be noticed when comparing the final product with the samples presented at the exposition. The wood variety is a natural feature of this noble raw material, determining its beauty and Uniqueness.

Jeans[®]
Collection


FLOOR	SIZE	INDEX	PAGE
ONE_4HIM Oak Cottage 1R Frosty & Frosty matt lacq. brushed 2LOC	2200x148x13.3 mm	WE-1ALD2ES49WE-1	72
ONE_4HER Oak Cottage 3R Frosty & Frosty matt lacq. brushed 2LOC	2190x182x13.3 mm	WE-1A05MES499E-1	72
TWO_4HIM Oak Cottage 1R Ivory & Cream matt lacq. brushed 2LOC	2200x148x13.3 mm	WE-1ALD2ESB9WE-1	73
TWO_4HER Oak Cottage 3R Ivory & Cream matt lacq. brushed 2LOC	2190x182x13.3 mm	WE-1A05MESB99E-1	73
THREE_4HIM Oak Cottage 1R Cashmere & Cashmere matt lacq. brushed 2LOC	2200x148x13.3 mm	WE-1ALD2ESC9WE-1	74
THREE_4HER Oak Cottage 3R Cashmere & Cashmere matt lacq. brushed 2LOC	2190x182x13.3 mm	WE-1A05MESC99E-1	74
FOUR_4HIM Oak Villa 1R matt lacq. brushed 2LOC	2200x148x13.3 mm	WE-1AKD2ESL3WE-1	75
FOUR_4HIM Oak Cottage 1R matt lacq. brushed 2LOC	2200x148x13.3 mm	WE-1ALD2ESL3WE-1	75
FOUR_4HER Oak Classic 3R matt lacq. brushed 2LOC	2190x182x13.3 mm	WE-1A454ESL39E-1	75
FOUR_4HER Oak Cottage 3R matt lacq. brushed 2LOC	2190x182x13.3 mm	WE-1A05MESL39E-1	75
FIVE_4HIM Oak Cottage 1R Amber & Amber matt lacq. brushed 2LOC	2200x148x13.3 mm	WE-1ALD2ES55WE-1	76
FIVE_4HER Oak Cottage 3R Amber & Amber matt lacq. brushed 2LOC	2190x182x13.3 mm	WE-1A05MES559E-1	76
SIX_4HIM Oak Cottage 1R Smoky & Smoky matt lacq. brushed 2LOC	2200x148x13.3 mm	WE-1ALD2ESC5WE-1	77
SIX_4HER Oak Cottage 3R Smoky & Smoky matt lacq. brushed 2LOC	2190x182x13.3 mm	WE-1A05MESCS9E-1	77
SEVEN_4HIM Oak Cottage 1R Taupe & Taupe matt lacq. brushed 2LOC	2200x148x13.3 mm	WE-1ALD2ES54WE-1	78
SEVEN_4HER Oak Cottage 3R Taupe & Taupe matt lacq. brushed 2LOC	2190x182x13.3 mm	WE-1A05MES549E-1	78

Smart
Collection

FLOOR	SIZE	INDEX	PAGE
OAK VILLA 1R matt lacq. brushed 2mV 2LOC	1080x182x14 mm	WM-1AK21ESL39W-1	84
OAK COTTAGE 1R matt lacq. brushed 2mV 2LOC	1080x182x14 mm	WM-1AL21ESL39W-1	84
OAK EARTHQUAKE 1R transparent ECO oil brushed 4mV 5G	2200x148x13.3 mm	WZ-1AID2-SK29CL1	85
OAK EARTHQUAKE 1R transparent ECO oil brushed 4mV 5G	2200x182x13.3 mm	WZ-1AID1-SK29CL1	85
OAK COTTAGEE 3R semi-matt lacq. 2LOC	2190x182x13.3 mm	WE-1A05M-L029C-1	85
OAK EARTHQUAKE 1R porcelain ECO oil brushed 4mV 5G	2200x148x13.3 mm	WZ-1AID2-SK39CL1	86
OAK EARTHQUAKE 1R porcelain ECO oil brushed 4mV 5G	2200x182x13.3 mm	WZ-1AID1-SK39CL1	86
ASH CLASSIC 3R Cream matt lacq. 2LOC	2190x182x13.3 mm	WE-1J45M-BH19C-1	86

Three-layered wooden floor

BALTIC WOOD FLOOR COMPRISES THREE LAYERS. The **top layer made of noble wood** (2.7-6.6 mm thick) is covered with seven coats of lacquer or two coats of oil. Both the finishes make up, on the floor surface, a thin, flexible and durable protective coating. The **middle layer** (approx. 8.9 mm thick) includes transverse spruce slats that reinforce the floor flexibility. The **bottom layer** (approx. 1.6 mm thick) is made of uniform spruce veneer, which stabilises and stiffens the whole structure.



Patterns & finishing



1R PATTERN
1-strip board



3R PATTERN
3-strips board



FINISHES
ECO oil, varnishes, stains

Warmth and harmony

Wood is a natural raw material that creates a harmonious, warm atmosphere in the room.

FASHIONABLE SURFACE

Oak floors in the most fashionable finishes in line with current trends.

SAFE FOR ALLERGIC PEOPLE

The advantage of wood is its antistatic and hypoallergenic properties, which are of great importance for the health of household members. Wood is a great solution for allergy sufferers because it does not contain any substances that may cause allergies and does not collect dust.

AESTHETICS AND COMFORT

Wooden floors are a perfect aesthetic and functional solution for commercial and private interiors, giving them an individual, always unique character.



Be BALTIC = Be ECO

www.balticwood.pl